

FLOORREX[®]
GERMAN TECHNOLOGY

RIGID HYBRID FLOORING

www.floorrex.com

INNOVATIVE FLOORING SOLUTIONS





26 Wood 6 Stone Textures



“The Flooring of the Future”



FLOORREX®
GERMAN TECHNOLOGY

Baba Group has been a leading producer and exporter for over a decade, based in the Rajasthan province of India. We have been into Quartz Powder, Grit and Engineered Quartz Slab with a splendid presence across the Globe. We're a pioneer in India for the manufacturing and exporting Engineered Quartz Slab.

After creating a very successful legacy in Quartz Powder, Grit & Engineered Quartz Stone, we are overjoyed to launch our New Product -SPC floors by Baba Flooring Pvt Ltd, a subsidiary organization of "BABA QUARTZ" (Baba Super Minerals Pvt Ltd).

Baba flooring Pvt Ltd is the Manufacturer & Exporter of rigid core Luxury Vinyl Flooring, a new era of LVT, additionally called Stone Plastic Composite or Stone Polymer Composite (SPC) by using the emblem call "FLOORREX."

Baba holds its quarry and sustainably source CaCO₃, the main ingredient of SPC products. FLOORREX is the only SPC producing company in India with in house source of CaCO₃ which helps us to maintain consistent quality in our products with highest standards at very attractive prices.

Our highly skilled team takes care of Production & Quality, ensuring to achieve international quality standards.

Baba Group's cutting-edge products are available globally in over 20 countries, and so for Floorrex SPC products — crafted passionately and bringing you the excellence through our German Technology products at every home across the world.

www.floorrex.com

FLOORREX





Why?
SPC
PRODUCTS

SPC flooring, which stands for **Stone Plastic Composite**, is the latest innovative material in the flooring world. It is a premium type of replacement to traditional LVT.

- ◆ Latest Innovative material
- ◆ More stable than traditional LVT.
- ◆ Incredible durability due to Rigid Core / higher density makes it more challenging.
- ◆ Does not expand and contract with environmental changes.
- ◆ Glue free installation, so Hassle-free.
- ◆ Suitable for both Commercial and Residential use.
- ◆ Free from dangerous chemicals.
- ◆ Easy to replace / re-install the damaged plank/tile.
- ◆ Limitless design innovation is possible, so there are endless options of patterns, colours, & grains to get the authentic look and shade you want.

Why FLOORREX SPC Products?

FLOORREX is the only SPC producing company in India with an in-house source of raw material (CaCO3) hence attractive Pricing & Quality Standards and uniformity.

- UNILIN Locking System
- HOMAG Line German Technology & our highly skilled people bring technical excellence.
- Almost 2 decades in the related Business, so already knows the technical know-how.
- Already established Supply Chain in more than 20 Countries, including USA, UK, CANADA & MENA and many more.
- Association with Worlds Topmost skilled agencies for Quality & Designing.
- Representatives available worldwide to give quick services.
- Customer Centric.

ADVANTAGE



Green Product



Stain Protect



Scratch Guard



Fire Resistant



Water Proof



Weather Proof



Mix & Match Pattern



Termite Proof



Noise Free



Quick Installation



Glue Free Installation



Made to be installed on any existing floor



Dust Free Installation



Recyclable




Germs Protection



Less Dead Weight

UNILIN

PATENT LOCKING



Overall Thickness Varies from (in mm) :
4.0 to 8.0 mm (For Wood & Stone)

CERTIFICATION

GREEN GUARD



HIGHLIGHTS OF FLOORREX SPC FLOORING

A unique multilayer fusion that offers the warmth of wood and resilience of stone. All the looks and features of laminate and hardwood floors but none of their limitations. New age flooring for an instant makeover without the dust, noise and effort.



Ultimate Durability

Our unique manufacturing method gives our FLOORREX planks an unmatched level of durability for all settings.



Waterproof

The FLOORREX planks simply won't react with the water - so it's the ideal floor for all those indoor water fights!



Low Installation Cost

As no glue or special floor preparation is needed.



Looks Excellent

There are endless options of patterns, colours and grains to get the precise look and shade you want.



Termite Resistant

FLOORREX planks top advantage is that it is 100% termite proof.



Quick, Easy Installation

Can be installed over existing floors and your new floor will be ready instantly.



Environmental Friendly

Avoiding using real wood protects the earth's natural resources, and it can be recycled.



Soundproofing

The multi-layered composition of materials provides some natural soundproofing.



Warranty

SPC generally comes with excellent manufacturer warranties, where the contract length typically increases with the thickness of the wear layer and the core of the planks.



Looks Excellent

There are endless options of patterns, colours and grains to get the precise look and shade you want.



Safe, Better Air Quality

It is free from dangerous chemicals typically found in flooring, such as formaldehyde, glues, benzene, and phthalates.



10 YEARS
WARRANTY

INSTALLATION INSTRUCTIONS



SET SPACERS

Create the required expansion space between planks and perimeter walls using 3/5" spacers on short and long ends of plank. For rooms wider than 50', 1/2" a expansion space is expansion spacers until installation is complete.

INSTALL 1ST PLANK

Position the first plank against the 3/5" wall spacers along the starting wall beginning at the corner of the room. Tongue side of plank should be facing the starting wall.




1ST PLANK, 2ND ROW

For random length installation, cut the first plank for the second row to 1/3 its length and insert the long tongue edge of the plank into the long edge groove of the first row plank. Make sure there are no gaps between planks. Use pull bar as needed to close tightly.

2ND PLANK, 2ND ROW

Insert the short tongue of a new plank into the short groove of the previously cut plank and then insert the long tongue edge of the two attached pieces at the same time into the groove of the first row. Use the pull bar as needed to ensure a tight fit.




INSTALL REMAINING ROWS

Insert the short tongue of a new plank into the short groove of the previously cut plank. Place the short, cut edge against a spacer and insert the long, tongue edge of the two attached pieces at the same time and continue process until completion.

FINISH THE JOB

Remove spacers. Cover expansion space with baseboard, quarter round or other trim as desired. Use flexible caulking to fill expansion gap around bath tubs or showers. Make sure not to pin down the floor underneath moulding.



LOCK END JOINTS

Install the next plank of the first row, locking short end of plank to the first by inserting tongue into groove at an angle and drop in place. Continue installing each plank until end of first row is complete. Cut last plank of first row as needed to fit.

ESTABLISH STAGGERING

For random length installations, there must be at least an 8" stagger from row to row throughout the entire installation. For a brick laid pattern for fixed length floors, planks should be offset by 1/2 their length and laid accordingly.



CONTINUE 2ND ROW

Lock long edge of plank by inserting tongue into groove at an angle and drop in place. Slide plank toward end of previously installed plank until the tongue just touches the groove. Use tapping block gently on short & long edge to ensure a tight fit.


LOCKING PLANK INTO PLACE

Tap ends of plank with rubber mallet and tapping block gently to lock ends of planks together. Be sure to tap on short end groove sides of panels to avoid damaging the locking profile. Use pull bar on long edge of plank to ensure tight fit.




FLOORREX PLANK PATTERN


Use Form's well-balanced size options to create impact quickly with simple, timeless pattern options. Plank tiles, which are typically used on the floor, can be laid in a variety of patterns, helping to create a unique flooring design.




BASKET WEAVE PATTERN



STRIPWOOD PATTERN




HERRINGBONE PATTERN




STEPLADDER PATTERN

FLOORREX TILES PATTERN


This is largely due to new manufacturing techniques and installation patterns that allow square tiles to make a design statement wherever they are used, both on walls and floors. The following are some of the most popular square tile patterns, as well as some of their variations.




GRID PATTERN



STAGGERED BOND PATTERN



DIAMOND PATTERN



WINDMILL PATTERN

CARE & MAINTENANCE

- SPC flooring of lower grade may swell or discolour when in contact with moisture in the long term. Moisture that traps under the SPC floor will encourage mould growth and cause odour.
- Heavy furniture, pet paws, sand or sharp objects will leave scratches and abrasions on the SPC flooring surface.
- SPC flooring is produced from polyvinyl chloride (PVC) that causes the release of a volatile organic compound into the air, mainly when it is newly installed.
- If the sub floor's condition is poorly prepared, any particles trapped underneath will cause lumps and bumps on the SPC surface. This will cause serious flooring issues over time and can even lead to the rip and tear of SPC parts.
- Although SPC flooring can resist most stains, you should prevent strong chemicals from coming into direct contact with the SPC floor surface. Although the yellowing of SPC flooring can be due to many factors, chemical emits from rubber is a primary culprit. You could overcome this problem by replacing any rubber material with non-staining rubber material.
- Since SPC flooring is made of plastic material, it will release odour and toxic chemicals into the air when burned. Therefore, it is not recommended to be used in high heat or fire hazard areas like a commercial kitchen.



“CREATING BEAUTIFUL SPACES”

NEW WOOD

C O L L E C T I O N



FLOORREX[®]
GERMAN TECHNOLOGY

Love your floor,
a little more





COCOBOLO

FLW-101

Series : Ziricote (5mm) & Bocote (6mm)

Type : Royal Wooden

Thickness : 4.0 to 8.0mm

Style : Wood

Underlayment Type : *EVA / IXPE / *CORK

SIZE	Qty Per Box	Sq.Ft	R&D
7.13"x48.03"	10 Plank/Box	23.78 Sq. Ft	Regular
8.98"x48.03"	10 Plank/Box	29.95 Sq. Ft	*On Demand
6"x36"	10 Plank/Box	15 Sq. Ft	*On Demand

(*) supply against order with MOQ



Scan For More Details





COCOBOLO
FLW-101

www.floorrex.com



VERMOUNT

FLW-102

Series	: Ziricote (5mm) & Bocote (6mm)
Type	: Royal Wooden
Thickness	: 4.0 to 8.0mm
Style	: Wood
Underlayment Type	: *EVA / IXPE / *CORK

SIZE	Qty Per Box	Sq.Ft	R&D
7.13"x48.03"	10 Plank/Box	23.78 Sq. Ft	Regular
8.98"x48.03"	10 Plank/Box	29.95 Sq. Ft	*On Demand
6"x36"	10 Plank/Box	15 Sq. Ft	*On Demand

(* supply against order with MOQ)



Scan For More Details





VERMOUNT
FLW-102

www.floorrex.com



ENTANA WALNUT

FLW-103

Series	: Zircote (5mm) & Bocote (6mm)
Type	: Royal Wooden
Thickness	: 4.0 to 8.0mm
Style	: Wood
Underlayment Type	: *EVA / IXPE / *CORK

SIZE	Qty Per Box	Sq.Ft	R&D
7.13"x48.03"	10 Plank/Box	23.78 Sq. Ft	Regular
8.98"x48.03"	10 Plank/Box	29.95 Sq. Ft	*On Demand
6"x36"	10 Plank/Box	15 Sq. Ft	*On Demand

(*) supply against order with MOQ



Scan For More Details





ENTANA WALNUT
FLW-103

www.floorrex.com



Step up!
to next level of future.



KELVIN BRONZE

FLW-104

Series	: Ziricote (5mm) & Bocote (6mm)
Type	: Royal Wooden
Thickness	: 4.0 to 8.0mm
Style	: Wood
Underlayment Type	: *EVA / IXPE / *CORK

SIZE	Qty Per Box	Sq.Ft	R&D
7.13"x48.03"	10 Plank/Box	23.78 Sq. Ft	Regular
8.98"x48.03"	10 Plank/Box	29.95 Sq. Ft	*On Demand
6"x36"	10 Plank/Box	15 Sq. Ft	*On Demand

(*) supply against order with MOQ



Scan For More Details





KELVIN BRONZE
FLW-104

www.floorrex.com



DALBARGIA

FLW-105

Series : Zircote (5mm) & Bocote (6mm)

Type : Royal Wooden

Thickness : 4.0 to 8.0mm

Style : Wood


Underlayment Type : *EVA / IXPE / *CORK

SIZE	Qty Per Box	Sq.Ft	R&D
7.13"x48.03"	10 Plank/Box	23.78 Sq. Ft	Regular
8.98"x48.03"	10 Plank/Box	29.95 Sq. Ft	*On Demand
6"x36"	10 Plank/Box	15 Sq. Ft	*On Demand

(*) supply against order with MOQ



Scan For More Details





DALBARGIA
FLW-105

www.floorrex.com



LIGNUM

FLW-106

Series : Ziricote (5mm) & Bocote (6mm)

Type : Royal Wooden

Thickness : 4.0 to 8.0mm

Style : Wood

Underlayment Type : *EVA / IXPE / *CORK

SIZE	Qty Per Box	Sq.Ft	R&D
7.13"x48.03"	10 Plank/Box	23.78 Sq. Ft	Regular
8.98"x48.03"	10 Plank/Box	29.95 Sq. Ft	*On Demand
6"x36"	10 Plank/Box	15 Sq. Ft	*On Demand

(*) supply against order with MOQ



Scan For More Details





LIGNUM
FLW-106

www.floorrex.com



**Making life
more enjoyable**



BUBINGA

FLW-107

Series	: Zircote (5mm) & Bocote (6mm)
Type	: Royal Wooden
Thickness	: 4.0 to 8.0mm
Style	: Wood
Underlayment Type	: *EVA / IXPE / *CORK

SIZE	Qty Per Box	Sq.Ft	R&D
7.13"x48.03"	10 Plank/Box	23.78 Sq. Ft	Regular
8.98"x48.03"	10 Plank/Box	29.95 Sq. Ft	*On Demand
6"x36"	10 Plank/Box	15 Sq. Ft	*On Demand

(*) supply against order with MOQ



Scan For More Details





BUBINGA
FLW-107

www.floorrex.com



GOLDEN OAK

FLW-108

Series	: Zircote (5mm) & Bocote (6mm)
Type	: Royal Wooden
Thickness	: 4.0 to 8.0mm
Style	: Wood
Underlayment Type	: *EVA / IXPE / *CORK

SIZE	Qty Per Box	Sq.Ft	R&D
7.13"x48.03"	10 Plank/Box	23.78 Sq. Ft	Regular
8.98"x48.03"	10 Plank/Box	29.95 Sq. Ft	*On Demand
6"x36"	10 Plank/Box	15 Sq. Ft	*On Demand

(*) supply against order with MOQ



Scan For More Details





GOLDEN OAK
FLW-108

www.floorrex.com



CAMBRIDGE

FLW-109

Series	: Zircote (5mm) & Bocote (6mm)
Type	: Royal Wooden
Thickness	: 4.0 to 8.0mm
Style	: Wood
Underlayment Type	: *EVA / IXPE / *CORK

SIZE	Qty Per Box	Sq.Ft	R&D
7.13"x48.03"	10 Plank/Box	23.78 Sq. Ft	Regular
8.98"x48.03"	10 Plank/Box	29.95 Sq. Ft	*On Demand
6"x36"	10 Plank/Box	15 Sq. Ft	*On Demand

(*) supply against order with MOQ



Scan For More Details





CAMBRIDGE
FLW-109

www.floorrex.com



**Decorate your
home with beauty**



EBONY

FLW-110

Series	: Zircote (5mm) & Bocote (6mm)
Type	: Royal Wooden
Thickness	: 4.0 to 8.0mm
Style	: Wood
Underlayment Type	: *EVA / IXPE / *CORK

SIZE	Qty Per Box	Sq.Ft	R&D
7.13"x48.03"	10 Plank/Box	23.78 Sq. Ft	Regular
8.98"x48.03"	10 Plank/Box	29.95 Sq. Ft	*On Demand
6"x36"	10 Plank/Box	15 Sq. Ft	*On Demand

(*) supply against order with MOQ



Scan For More Details





EBONY
FLW-110

www.floorrex.com



HICKORY

FLW-111

Series	: Ziricote (5mm) & Bocote (6mm)
Type	: Royal Wooden
Thickness	: 4.0 to 8.0mm
Style	: Wood
Underlayment Type	: *EVA / IXPE / *CORK

SIZE	Qty Per Box	Sq.Ft	R&D
7.13"x48.03"	10 Plank/Box	23.78 Sq. Ft	Regular
8.98"x48.03"	10 Plank/Box	29.95 Sq. Ft	*On Demand
6"x36"	10 Plank/Box	15 Sq. Ft	*On Demand

(*) supply against order with MOQ



Scan For More Details





HICKORY
FLW-111

www.floorrex.com



TOSANDE

FLW-112

Series	: Zircote (5mm) & Bocote (6mm)
Type	: Royal Wooden
Thickness	: 4.0 to 8.0mm
Style	: Wood
Underlayment Type	: *EVA / IXPE / *CORK

SIZE	Qty Per Box	Sq.Ft	R&D
7.13"x48.03"	10 Plank/Box	23.78 Sq. Ft	Regular
8.98"x48.03"	10 Plank/Box	29.95 Sq. Ft	*On Demand
6"x36"	10 Plank/Box	15 Sq. Ft	*On Demand

(*) supply against order with MOQ



Scan For More Details





TOSANDE
FLW-112

www.floorrex.com



For a new
generation of people



BELLUNO

FLW-113

Series : Zircote (5mm) & Bocote (6mm)

Type : Royal Wooden

Thickness : 4.0 to 8.0mm

Style : Wood


Underlayment Type : *EVA / IXPE / *CORK

SIZE	Qty Per Box	Sq.Ft	R&D
7.13"x48.03"	10 Plank/Box	23.78 Sq. Ft	Regular
8.98"x48.03"	10 Plank/Box	29.95 Sq. Ft	*On Demand
6"x36"	10 Plank/Box	15 Sq. Ft	*On Demand

(*) supply against order with MOQ



Scan For More Details





BELLUNO
FLW-113

www.floorrex.com



MAPLE BURL

FLW-114

Series	: Ziricote (5mm) & Bocote (6mm)
Type	: Royal Wooden
Thickness	: 4.0 to 8.0mm
Style	: Wood
Underlayment Type	: *EVA / IXPE / *CORK

SIZE	Qty Per Box	Sq.Ft	R&D
7.13"x48.03"	10 Plank/Box	23.78 Sq. Ft	Regular
8.98"x48.03"	10 Plank/Box	29.95 Sq. Ft	*On Demand
6"x36"	10 Plank/Box	15 Sq. Ft	*On Demand

(* supply against order with MOQ)



Scan For More Details





MAPLE BURL
FLW-114

www.floorrex.com

GRENADILL

FLW-115

Series : Zircote (5mm) & Bocote (6mm)

Type : Royal Wooden

Thickness : 4.0 to 8.0mm

Style : Wood

Underlayment Type : *EVA / IXPE / *CORK

SIZE	Qty Per Box	Sq.Ft	R&D
7.13"x48.03"	10 Plank/Box	23.78 Sq. Ft	Regular
8.98"x48.03"	10 Plank/Box	29.95 Sq. Ft	*On Demand
6"x36"	10 Plank/Box	15 Sq. Ft	*On Demand

(*) supply against order with MOQ



Scan For More Details





GRENADILL
FLW-115

www.floorrex.com

A young boy with dark hair, wearing a grey t-shirt, is lying on his back on a light-colored wooden floor. He is smiling broadly and holding a black smartphone in front of his eyes with both hands. The floor is made of wide wooden planks with a natural grain pattern.

Elegant floors,
endless stories



NEONGLOW

FLW-116

Series	: Ziricote (5mm) & Bocote (6mm)
Type	: Royal Wooden
Thickness	: 4.0 to 8.0mm
Style	: Wood
Underlayment Type	: *EVA / IXPE / *CORK

SIZE	Qty Per Box	Sq.Ft	R&D
7.13"x48.03"	10 Plank/Box	23.78 Sq. Ft	Regular
8.98"x48.03"	10 Plank/Box	29.95 Sq. Ft	*On Demand
6"x36"	10 Plank/Box	15 Sq. Ft	*On Demand

(*) supply against order with MOQ



Scan For More Details





NEONGLOW
FLW-116

www.floorrex.com



TANZANIA

FLW-117

Series	: Ziricote (5mm) & Bocote (6mm)
Type	: Royal Wooden
Thickness	: 4.0 to 8.0mm
Style	: Wood
Underlayment Type	: *EVA / IXPE / *CORK

SIZE	Qty Per Box	Sq.Ft	R&D
7.13"x48.03"	10 Plank/Box	23.78 Sq. Ft	Regular
8.98"x48.03"	10 Plank/Box	29.95 Sq. Ft	*On Demand
6"x36"	10 Plank/Box	15 Sq. Ft	*On Demand

(*) supply against order with MOQ



Scan For More Details





TANZANIA
FLW-117

www.floorrex.com



HAWALLAN

FLW-118

Series	: Zircote (5mm) & Bocote (6mm)
Type	: Royal Wooden
Thickness	: 4.0 to 8.0mm
Style	: Wood
Underlayment Type	: *EVA / IXPE / *CORK

SIZE	Qty Per Box	Sq.Ft	R&D
7.13"x48.03"	10 Plank/Box	23.78 Sq. Ft	Regular
8.98"x48.03"	10 Plank/Box	29.95 Sq. Ft	*On Demand
6"x36"	10 Plank/Box	15 Sq. Ft	*On Demand

(*) supply against order with MOQ



Scan For More Details





HAWAIIAN
FLW-118

www.floorrex.com



Crafted by nature,
perfected for your home



PANAPLAST

FLW-119

Series	: Ziricote (5mm) & Bocote (6mm)
Type	: Royal Wooden
Thickness	: 4.0 to 8.0mm
Style	: Wood
Underlayment Type	: *EVA / IXPE / *CORK

SIZE	Qty Per Box	Sq.Ft	R&D
7.13"x48.03"	10 Plank/Box	23.78 Sq. Ft	Regular
8.98"x48.03"	10 Plank/Box	29.95 Sq. Ft	*On Demand
6"x36"	10 Plank/Box	15 Sq. Ft	*On Demand

(*) supply against order with MOQ



Scan For More Details





PANAPLAST
FLW-119

www.floorrex.com



ROSEWOOD

FLW-120

Series	: Zircote (5mm) & Bocote (6mm)
Type	: Royal Wooden
Thickness	: 4.0 to 8.0mm
Style	: Wood
Underlayment Type	: *EVA / IXPE / *CORK

SIZE	Qty Per Box	Sq.Ft	R&D
7.13"x48.03"	10 Plank/Box	23.78 Sq. Ft	Regular
8.98"x48.03"	10 Plank/Box	29.95 Sq. Ft	*On Demand
6"x36"	10 Plank/Box	15 Sq. Ft	*On Demand

(*) supply against order with MOQ



Scan For More Details





ROSEWOOD
FLW-120

www.floorrex.com



SANTALUM

FLW-121

Series	: Ziricote (5mm) & Bocote (6mm)
Type	: Royal Wooden
Thickness	: 4.0 to 8.0mm
Style	: Wood
Underlayment Type	: *EVA / IXPE / *CORK

SIZE	Qty Per Box	Sq.Ft	R&D
7.13"x48.03"	10 Plank/Box	23.78 Sq. Ft	Regular
8.98"x48.03"	10 Plank/Box	29.95 Sq. Ft	*On Demand
6"x36"	10 Plank/Box	15 Sq. Ft	*On Demand

(*) supply against order with MOQ



Scan For More Details





SANTALUM
FLW-121

www.floorrex.com



Where style
meets comfort

MACASSAR

FLW-122

Series : Zircote (5mm) & Bocote (6mm)

Type : Royal Wooden

Thickness : 4.0 to 8.0mm

Style : Wood



Underlayment Type : *EVA / IXPE / *CORK

SIZE	Qty Per Box	Sq.Ft	R&D
7.13"x48.03"	10 Plank/Box	23.78 Sq. Ft	Regular
8.98"x48.03"	10 Plank/Box	29.95 Sq. Ft	*On Demand
6"x36"	10 Plank/Box	15 Sq. Ft	*On Demand

(*) supply against order with MOQ



Scan For More Details





MACASSAR
FLW-122

www.floorrex.com



CORDIA

FLW-123

Series	: Zircote (5mm) & Bocote (6mm)
Type	: Royal Wooden
Thickness	: 4.0 to 8.0mm
Style	: Wood
Underlayment Type	: *EVA / IXPE / *CORK

SIZE	Qty Per Box	Sq.Ft	R&D
7.13"x48.03"	10 Plank/Box	23.78 Sq. Ft	Regular
8.98"x48.03"	10 Plank/Box	29.95 Sq. Ft	*On Demand
6"x36"	10 Plank/Box	15 Sq. Ft	*On Demand

(*) supply against order with MOQ



Scan For More Details





CORDIA
FLW-123

www.floorrex.com



ZEBRANO

FLW-124

Series	: Zircote (5mm) & Bocote (6mm)
Type	: Royal Wooden
Thickness	: 4.0 to 8.0mm
Style	: Wood
Underlayment Type	: *EVA / IXPE / *CORK

SIZE	Qty Per Box	Sq.Ft	R&D
7.13"x48.03"	10 Plank/Box	23.78 Sq. Ft	Regular
8.98"x48.03"	10 Plank/Box	29.95 Sq. Ft	*On Demand
6"x36"	10 Plank/Box	15 Sq. Ft	*On Demand

(*) supply against order with MOQ



Scan For More Details





ZEBRANO
FLW-124

www.floorrex.com



Every step
tells a story

PUNONG

FLW-125

Series : Zircote (5mm) & Bocote (6mm)

Type : Royal Wooden

Thickness : 4.0 to 8.0mm

Style : Wood

Underlayment Type : *EVA / IXPE / *CORK

SIZE	Qty Per Box	Sq.Ft	R&D
7.13"x48.03"	10 Plank/Box	23.78 Sq. Ft	Regular
8.98"x48.03"	10 Plank/Box	29.95 Sq. Ft	*On Demand
6"x36"	10 Plank/Box	15 Sq. Ft	*On Demand

(*) supply against order with MOQ




Scan For More Details





PUNONG
FLW-125

www.floorrex.com



MOUNTAIN PINE

FLW-126

Series	: Ziricote (5mm) & Bocote (6mm)
Type	: Royal Wooden
Thickness	: 4.0 to 8.0mm
Style	: Wood
Underlayment Type	: *EVA / IXPE / *CORK

SIZE	Qty Per Box	Sq.Ft	R&D
7.13"x48.03"	10 Plank/Box	23.78 Sq. Ft	Regular
8.98"x48.03"	10 Plank/Box	29.95 Sq. Ft	*On Demand
6"x36"	10 Plank/Box	15 Sq. Ft	*On Demand

(*) supply against order with MOQ



Scan For More Details





MOUNTAIN PINE
FLW-126

www.floorrex.com



Stone

Collection



CALCATA ANGELO

FLS-201


Series	: STONA
Thickness	: 4.0 to 8.0mm
Style	: MARBLE LOOK
Underlayment Type	: *EVA / IXPE / *CORK

SIZE	Qty Per Box	Sq.Ft	R&D
12'X24"	10 Plank/Box	20 Sq. Ft	Regular with Backing
18" x 36"	06 Plank/Box	27 Sq. Ft	*On Demand (without backing)
20"x20"	10 Plank/Box	27.78 Sq. Ft	*On Demand (without backing)

(*) supply against order with MOQ



Scan For More Details





CALCATA ANGELO
FLS-201

www.floorrex.com



NERO MARQUINA

FLS-202

Series	: STONA
Thickness	: 4.0 to 8.0mm
Style	: MARBLE LOOK
Underlayment Type	: *EVA / IXPE / *CORK

SIZE	Qty Per Box	Sq.Ft	R&D
12'X24"	10 Plank/Box	20 Sq. Ft	Regular with Backing
18" x 36"	06 Plank/Box	27 Sq. Ft	*On Demand (without backing)
20"x20"	10 Plank/Box	27.78 Sq. Ft	*On Demand (without backing)

(*) supply against order with MOQ



Scan For More Details





NERO MARQUINA
FLS-202

www.floorrex.com



GRIGIO ANIMA

FLS-203

Series	: STONA
Thickness	: 4.0 to 8.0mm
Style	: MARBLE LOOK
Underlayment Type	: *EVA / IXPE / *CORK

SIZE	Qty Per Box	Sq.Ft	R&D
12'X24"	10 Plank/Box	20 Sq. Ft	Regular with Backing
18" x 36"	06 Plank/Box	27 Sq. Ft	*On Demand (without backing)
20"x20"	10 Plank/Box	27.78 Sq. Ft	*On Demand (without backing)

(*) supply against order with MOQ



Scan For More Details





GRIGIO ANIMA
FLS-203

www.floorrex.com



For every
WALK
at life



CALCATA BELGIA

FLS-204


Series	: STONA
Thickness	: 4.0 to 8.0mm
Style	: MARBLE LOOK
Underlayment Type	: *EVA / IXPE / *CORK

SIZE	Qty Per Box	Sq.Ft	R&D
12'X24"	10 Plank/Box	20 Sq. Ft	Regular with Backing
18" x 36"	06 Plank/Box	27 Sq. Ft	*On Demand (without backing)
20"x20"	10 Plank/Box	27.78 Sq. Ft	*On Demand (without backing)

(*) supply against order with MOQ




Scan For More Details





CALCATA BELGIA
FLS-204

www.floorrex.com



ROMAN TERRAZO

FLS-205

Series	: STONA
Thickness	: 4.0 to 8.0mm
Style	: MARBLE LOOK
Underlayment Type	: *EVA / IXPE / *CORK

SIZE	Qty Per Box	Sq.Ft	R&D
12'X24"	10 Plank/Box	20 Sq. Ft	Regular with Backing
18" x 36"	06 Plank/Box	27 Sq. Ft	*On Demand (without backing)
20"x20"	10 Plank/Box	27.78 Sq. Ft	*On Demand (without backing)

(*) supply against order with MOQ



Scan For More Details





ROMAN TERAZZO
LS-205

www.floorrex.com



TRAVERTINE DORATO

FLS-206

Series	: STONA
Thickness	: 4.0 to 8.0mm
Style	: MARBLE LOOK
Underlayment Type	: *EVA / IXPE / *CORK

SIZE	Qty Per Box	Sq.Ft	R&D
12'X24"	10 Plank/Box	20 Sq. Ft	Regular with Backing
18" x 36"	06 Plank/Box	27 Sq. Ft	*On Demand (without backing)
20"x20"	10 Plank/Box	27.78 Sq. Ft	*On Demand (without backing)

(*) supply against order with MOQ



Scan For More Details





TRAVERTINE DORATO
FLS-206

www.floorrex.com

BENEFITS OF GETTING OUR DISTRIBUTORSHIP



Established Brand

Baba Flooring Pvt Ltd. is well-known brand and manufacturers, which can help to attract customers who are already familiar with our products and services being offered.



Exclusive Territories

We give exclusive rights to sell our products in a particular geographic area or market segment, which can provide a competitive advantage.



Marketing & Advertising Support

We may provide our Distributor with marketing and advertising support to help promote our products and services, which can be especially helpful for smaller businesses with limited resources.



Increased Revenue Potential

By offering a wider range of products and services, our Distributors may be able to generate more revenue than they would with a narrower focus.



Opportunities For Growth

Successful Distributors may have the opportunity to expand their business over time by opening new locations, offering additional products and services, or entering new markets.



Relationship Building

Distributors with Baba Flooring Pvt Ltd. often have the opportunity to develop long-term relationships with customers, which can lead to repeat business and referrals over time.



Our Other Brands

BABA QUARTZ
New Generation Stone


CRISTALLOCO

FLOORREX[®]
GERMAN TECHNOLOGY



**26 Wood
6 Stone
Textures**

Baba Flooring Pvt Ltd

Website :
www.floorrex.com

Toll Free :
[+91-99505 44221](tel:+919950544221)

E-mail :
info@floorrex.com | exports@floorrex.com

Address :
Khasra No. 62-63, Tikawara Road ,
Opp. Shrinagar Industrial Zone,
NH-79, Village : Shrinagar, Teh : Kishangarh ,
Dist. - Ajmer (Rajasthan) India

